



— BROCK SOLID® —

# BIN SWEEPS



Safeguarding Your Grain® Since 1957

# Protecting Your Investment

**W**hen months of hard work go into producing a grain crop, trust it to the best in grain sweeps: Brock.

Brock Solid® is our guarantee of trusted reliability you can count on day in and day out. It's unmistakable quality, built to last year after year. And it's the

same guarantee we founded the company on back in 1957.


Today, our dealers continue to uphold those standards, providing the superior service and support customers expect from Brock. Brock Solid means you can depend on them and us. Times may

change, but our solid values are stronger than ever.

Whether you're a farmer storing your own grain or a commercial operation entrusted with safeguarding your customer's crops, Brock Solid delivers. Always has, always will.

## Choose the Sweep Model That Best Fits Your Need

**N**ot sure which sweep is best for you? This information chart provides a simple comparison for Brock's grain bin sweeps. Contact your local Brock dealer for details.



## 1500 Series

### Heavy-duty Power Sweeps

Bin Diameters	15-60 feet (4.6-18.3 m)
Bin Eave Height Maximum	107 ft. (32.6 m)
Auger Diameters	8 or 10 inches (203 or 254 mm)
Capacity Range	Up to 5,500 bushels (140 metric tons) per hour



#### Bulletproof Gearboxes

Brock 1500 Series Power Sweeps are built around robust center gearboxes that are manufactured in the USA.



#### Highly Refined Drive Wheel

Patented open-style design. 16:1 reduction ratio maximizes longevity.

# 3500 Series

## Medium to Heavy Commercial Usage

- Bin Diameters 30-156 feet  
(9.1-47.5 m)
- Bin Eave Height 107 ft.  
Maximum (32.6 m)
- Auger Diameters 12 or 16 inches  
(305 or 406 mm)
- Capacity Range 4,000-10,000 bushels  
(102-254 metric tons) per hour



**Rugged Drive System** with positive sprocket rail drive for no-slip operation and more pushing torque.



**Forward Motion Auto Drive for True Zero Entry** is standard to manage grain avalanches and compacted grain without the need to reverse.



**Adjustable Bin Wall Agitator**

**3500 Series Commercial Sweep**

# MAVERIK® 4000 Series



## Heavy Commercial Usage

- Bin Diameters 60-132 feet  
(18.3-40.2 m)
- Bin Eave Height 107 ft.  
Maximum (32.6 m)
- Auger Diameters 12 inches  
(305 mm)
- Capacity Range 7,500-15,000 bushels  
(190-381 metric tons) per hour



**Sprocket Rail Drive** provides smooth, efficient sweep movement. Dual arm option provides *MAVERIK® HTF Single Pass. Swept Twice.™* clean-up.



**All-Hydraulic Sweep** with advanced variable-speed technology optimizes time and productivity and can be operated remotely.

# A Full Line of Brock Solid® Solutions



## Storage

- EVEREST® & On-Farm Grain Bins
- EVEREST® & Wet Holding Hopper Bins
- Temporary Storage
- Bin Access Doors
- Grain Aeration Floors

## Handling

- Grain Sweeps
- Grain Conveyors
- Bin Unloading Systems
- Bucket Elevators
- Distributors & Accessories

## Drying & Conditioning

- Low-Profile Grain Dryers
- Tower Grain Dryers
- Centrifugal & Axial Fans
- Heaters
- Controls

## Structures

- Catwalks
- Bucket Elevator Towers & Stairways
- EVERLOC® Roof Mount System
- Support Towers
- Slot & Tab Construction

**B**rock Solid® is our guarantee of trusted reliability you can count on day in and day out. It is the guarantee of unmistakable quality, built to last year after year. It is the same guarantee we founded the company on back in 1957. That focus on providing dependability

has resulted in the full line of grain facility solutions that are available today. You will find the quality you have come to expect and the trusted integrity you deserve. Brock Solid delivers. Always has, always will.



**— BROCK SOLID® —**  
Safeguarding Your Grain® Since 1957

## BROCK GRAIN SYSTEMS

A Division of CTB, Inc.  
A Berkshire Hathaway Company  
Phone: +1 866.658.4191  
[www.brockgrain.com](http://www.brockgrain.com)  
Email: [sales@brockgrain.com](mailto:sales@brockgrain.com)